

What is claimed is:

1. A cart for an electronic device, the cart comprising:
a platform configured to support an electronic device; and
a cord-retaining portion configured to retain a power cord of the electronic device, wherein the cord-retaining portion includes a first opening that extends in a first direction substantially toward a mid-portion of the cart and a second opening that extends away from the first opening in a second direction that is different from the first direction.
2. The cart of claim 1, wherein the first opening is a first slot having a length and a width, and the length of the first slot is approximately the same as the width of the first slot.
3. The cart of claim 2, wherein the second opening is a second slot having a length and a width, and the length of the second slot is greater than the width of the second slot.
4. The cart of claim 1, wherein the second direction is substantially perpendicular to the first direction.
5. The cart of claim 1, further comprising a third opening that extends away from the first opening in a third direction that is different from the first direction.
6. The cart of claim 5, wherein the third direction is substantially opposite to the second direction.
7. The cart of claim 5, wherein the third direction is substantially perpendicular to the first direction.

8. The cart of claim 5, wherein the first opening has a width and a distance from a side of the second opening to a side of the third opening is greater than the width of the first opening.
9. The cart of claim 8, wherein the distance is at least two times greater than the width of the first opening.
10. The cart of claim 1, wherein the cord-retaining portion is an integral part of the platform.
11. The cart of claim 1, further comprising a support that at least partially supports the platform.
12. The cart of claim 1, further comprising rolling members that at least partially moveably support the platform.
13. The cart of claim 1, further comprising a power strip and a cord-wrapping portion, wherein the power strip includes a power cord and the cord-wrapping portion is disposed about the power strip and is configured to retain the power cord when the power cord is wrapped about the cord-wrapping portion.
14. The cart of claim 1, further comprising a restraint for inhibiting movement of an electronic device disposed on the platform.
15. The cart of claim 14, wherein the restraint includes a strap.
16. The cart of claim 1, further comprising a tray slidably mounted to extend from the platform.

17. The cart of claim 1, further comprising a cord-wrapping portion disposed adjacent the first opening, wherein the cord-wrapping portion is configured to retain a power cord wrapped about the cord-wrapping portion.